

Sarah Newcomb
Ph.D. Candidate at Idaho State University
Doctoral Researcher with Henry's Fork Foundation








How does rain and snow that falls in the mountains become streamflow?






Runoff Ratio = Annual Streamflow (Q)
Annual Precipitation (P)


AKA the portion of rain and snowmelt the becomes streamflow



Runoff Ratio = Annual Streamflow (Q)
Annual Precipitation (P)


AKA the portion of rain and snowmelt the becomes streamflow







Runoff Ratio = Annual Streamflow (Q)
Annual Precipitation (P)

AKA the portion of rain and snowmelt the becomes streamflow












## In 2023, less than 25% of the precipitation that fell in the Upper Henry's Fork became streamflow, so where did the rest go?

Over the same period we see smaller decreases in Fall River and Teton River.








2020 Forest Cover



#### Since 1985, tree cover has become denser








How do forests impact how precipitation becomes streamflow?








Winter As snow falls, it is intercepted by tree branches \*\* \*\*\* X X



Winter As snow falls, it is **intercepted** by tree branches \*\* \*\* This is important because... X 1. Intercepted snow is more likely to be returned to the atmosphere through sublimation. X 20-40% of the annual snowfall can be sublimated








Spring


Plants begin taking up water







Spring




Snowmelt not taken by plants produces streamflow and recharges groundwater



This is determined by spring temperatures, snow melt rates, and timing of growing season

Plants return water to the atmosphere via **transpiration** (greater in forests)




Summer


And water **evaporates**directly from the soil
(less in forests)


#### **Evapotranspiration (ET)**

75% Transpiration

25% Evaporation












forests impact how snow accumulates, sublimates, and melts





forests influence evapotranspiration losses







Annual precipitation has not significantly changed since 1989









There is increasingly more evaporative demand.




# Evapotranspiration has increased in all watersheds since 2002




On average, ET is in increasing by 6-10k ac-ft a year in the Upper HF






On average, ET is in increasing by 6-10k ac-ft a year in the Upper HF




In 2022, ~160,000 more ac-ft of water was lost to ET than in 2002.

# Since we haven't seen an increase in precipitation, this means a larger portion of annual precipitation is lost to ET




# Annual watershed yield decreases as more precipitation goes towards ET




16


#### 1. Larger increase in tree cover



- 1. Larger increase in tree cover
- 2. More acres of forested land (at lower elevations)



- 1. Larger increase in tree cover
- 2. More acres of forested land (at lower elevations)
- 3. Greater annual ET losses



#### What can we do?

- 1. Collect data needed to calculate and model sublimation and ET.
- 2. Refine predictive models by accounting for changes in vegetation.
- 3. Forest management informed by best available science.



contact: sarahnewcomb@isu.edu